



**WE TREAT
YOUR ANIMALS LIKE
THE VALUED
FAMILY MEMBERS
THEY ARE**



Sarkhej Bavla Road, Ahmedabad, Gujarat-382210

E-mail: info@toritopharmaceuticals.com

Website: www.toritopharmaceuticals.com

NSAIDS

TORICAM-P™

Meloxicam & Paracetamol Injection

Composition:

Each ml contains:	
Paracetamol I.P.	150 mg
Meloxicam I.P.	5 mg
Lignocaine HCL I.P.	1 mg


Dosage & Administration:

For Cattle:

15 ml/300 kg b.wt. through I.M. route

Sheep & Goat:

2 ml/10 kg b.wt. through I.M. route



Presentation:
100 ml Vial

NIMSVET Spas® Injection

Nimesulide, Pitofenone HCL & Fenpiverinium Bromide Injection

Composition:

Each ml contains:	
Nimesulide B.P.	100 mg
Pitofenone HCL	2 mg
Fenpiverinium Bromide	0.02 mg
Benzyl Alcohol I.P.	4% w/v
(as preservative)	
Water for Injection I.P.	q.s.

Dosage:

Large Animal:

1 ml/20 kg b.wt. | **Small Animal:** 1 ml/15 kg b.wt.



Presentation:

30 ml & 100 ml Injection

PYROMAX

Piroxicam, Paracetamol & Serratiopeptidase Bolus

Composition:

Each uncoated bolus	
Piroxicam I.P.	200 mg
Paracetamol I.P.	1500 mg
Serratiopeptidase I.P.	75 mg
Excipients	q.s.

Dosage:

Large Animals: 2 bolus twice a day orally

Small Animals: ½ to 1 bolus twice a day orally



Presentation: 10 x 4 Bolus

FLUMIXIN Injection

Flunixin Meglumine Injection

Multi Dose Vial

Composition:

Each ml contains:	
Flunixin Meglumine I.P.	83 mg
Eq. to Flunixin	50 mg
Water for Injection I.P.	q.s.

Route:

Slow I.V./Deep I.M

Dosage:

Cattle, Buffalo, Camel, Sheep & Goat:

2 ml/45 kg b.wt for 3-5 days

Horse: 1 ml/45 kg b.wt for 3-5 days

Dog: 0.5 ml/ 25 kg b.wt for 3-5 days

Cat: 1 ml/25 kg b.wt for 3-5 days

Pig: 1-2 ml/50 kg by slow I.V/I.M/S.C



Presentation:

20 ml & 100 ml Injection

MEGVET™ + Bolus

Flunixin Meglumine & Serratiopeptidase Bolus

Composition:

Each bolus contains:

Flunixin Meglumine I.P.	1000 mg
Eq. to Flunixin	602 mg
Serratiopeptidase I.P.	75 mg

Dosage:

1 Bolus twice a day for 2-3 days

or as directed by veterinarian

Presentation:

1 x 2 Bolus



ANTIBIOTICS

TORIFLOX™

Levofloxacin Hemihydrate Injection

Multi Dose Vial

Composition:

Each ml contains:

Levofloxacin Hemihydrate I.P.

Eq. to Levofloxacin 100 mg


Benzyl Alcohol I.P. 1.5% w/v

Water for injection I.P. q.s.

Dosage & Administration:

By I.M. or I.V. route

Cattle & Buffalo: 5 ml/100 kg b.wt.



Presentation: 100 ml

T-FUR™

Ceftiofur Sodium 1 gm For Injection Vet.

Composition:

Each pack Contains:

Ceftiofur Sodium I.P.

Eq. to Ceftiofur 1 gm

Dosage & Administration:

1.1-2.2 mg/kg b.wt. by I/M & S/C Route,

Reconstitute with 20 ml sterile water for injection

Repeat once daily for 3-5 days



Presentation:
1 gm Injection

ANTI-PARASITES

Tomec Power

Ivermectin 2% Injection IP (Vet.)

Composition:

Each ml contains:

Ivermectin I.P. 20.00 mg

Excipients q.s.

Benzyl Alcohol I.P. 1.5% w/v

(as preservative)

Dosage & Administration:

For use in Cattle, Buffalo, Sheep, Goat & Camel

at 200 mcg per kg body weight i.e

1 ml/50 kg body weight by SC route only



Presentation: 100 ml Vial

T-TRAZ™ 12.5% EC

For Veterinary USE Only

Composition:

Each ml contains: Amitraz I.P. 12.5% w/v

Solvent & emulsifiers q.s.

Dosage & Administration:

Animal type	Water	T-Traz	Method
Cattle / Buffalo	1 Litre	2 ml	Slowly wash animal body especially the
Sheep / Goat	1 Litre	2 ml	lower extremities
Farm Premises	1 Litre	2 ml	Spray all over the farm premises

In case of heavy infestation, use 2-3 times at minimum 7 days

Presentation: 50 ml



ANTIBIOTICS

T-Cefo XP[®]

Composition:

Each combipack contains A, B & C:

A. Each Vial contains:

Sterile Ceftriaxone Sodium I.P.

Eq. to Anhydrous Ceftriaxone 4 gm

B. Sterile Tazobactam Sodium I.P.

Eq. to Anhydrous Tazobactam 500 mg

C. 20ml Sterile Syringe along with needle.


Dosage:

Cattle: 5-10 mg / kg b. wt.

by IM or IV route for 3-5 days

Presentation:

4.5 gm Injection



ANTI-PARASITES

TMEC-OSTM

Each 30 ml contains: Oxfendazole I.P. (Vet.) 226.5 mg

Ivermectin I.P. (Vet.) 10 mg & Zinc Sulphate I.P. 20 mg

Composition:

Each 30 ml contains:

Oxfendazole I.P. (Vet.) 226.5 mg

Ivermectin I.P. (Vet.) 10 mg

Zinc Sulphate I.P. 20 mg

Aqueous base q.s.

Dosage:

1.5 ml per kg body weight orally
as single dose

or as directed by the Veterinarian

Presentation:

30 ml Suspension



**Advantage
of Zinc**

GYNEC

Toriflox-IUTM

Levofloxacin Hemihydrate, Ornidazole & Alpha Tocopherol Acetate Solution

Composition:


Each ml contains:

Levofloxacin Hemihydrate I.P.	20 mg
Ornidazole I.P.	25 mg
Alpha Tocopherol Acetate I.P.	5 mg
Aqueous base	q.s.

Dosage & Administration:

30-60 ml through intrauterine route depending upon conditions

Presentation: 60 ml



GYNEC

CLOSTEL[®] Injection

Cloprostenol Injection IP (Vet)

Composition:

Each ml contains:


Cloprostenol Sodium I.P.	263 mg
Eq. to Cloprostenol	250 mcg
Water for Injection I.P.	q.s.

Dosage:

2 ml/adult by IM route or as directed by veterinarian

Presentation:

2 ml Injection



GYNEC

Torelin™ Injection


Composition:

Each ml contains:

Buserelin Acetate I.P.	0.0042 mg
Eq. to Buserelin	0.004 mg
Benzyl Alcohol I.P.	10 mg
(as preservative)	
Water for injection I.P.	q.s.

Dosage & Administration:

True anoestrus : 5 ml by IM route	
Improvement of conception rate (at the time of AI):	2.5 ml by I/m route
Ovarian cyst(Follicular), irregular oestrus, Nymphomania:	5 ml by I/m route
Delayed Ovulation and Anovulation:	2.5 ml by I/m route
Improvement of pregnancy rate (11-12 day post AI):	2.5 ml by I/m route
Improvement of post-partum fertility (10-15 days post-calving):	5 ml by I/m route



Presentation:

10 ml Injection

GYNEC

Tomix - H Injection

Composition:

Each ml contains:

Vitamin A I.P.	25,000 IU
Vitamin D3 I.P.	25000 IU
Vitamin E I.P.	100 mg
Biotin U.S.P.	12.5 mcg
Benzyl Alcohol I.P.	2% v/v
(as preservative)	
Sesame oil U.S.P	q.s.

Dosage & Administration:

Large Animals:

5 ml per day for prophylaxis 10 ml for treatment

Small Animals:


1-2 ml per day as prophylaxis 2-4 ml for treatment

To be given on alternate days for 2 weeks and should be repeated after 4 weeks if needed.

For I.M. use only

Presentation:

10 ml Vial



GYNEC

TOMIN 7 *Advance Bolus*

Chelated Trace Minerals and Coated Vitamins Fortified with Herbs

Dosage Administration:

COW & BUFFALO:
1 Bolus Daily Orally



SHEEP & GOAT:
1 Bolus every alternate day orally
or as directed by Veterinarian

**Enriched
with
Chromium**



Presentation: 10 x 1 Bolus

GYNEC

TOMIN-7 TM **BOLUS**

Composition:

Chelated Trace Minerals,
Coated Vitamins Fortified with
β-Carotene and Bioactive Chromium

Dosage:

Cow and Buffalo:

1 bolus daily for 21 days

Sheep and Goat:

1 bolus every
alternate day up to 21 days

Presentation:

1 x 7 Bolus



FEED SUPPLEMENT

T-RuzzTM Bolus

Wound Healing Expert

Composition:

Each bolus contains:

Zinc, Methionine, L-Lysine, Biotin,
Vitamin A, Vitamin E, Vitamin D3,
Vitamin B12, Arginine, Bromelain,
Choline Chloride, Serratiopeptidase Bolus

Recommended Usage:


Large animal:

2 to 4 bolus twice a day for 4-5 days

Small animal:

1 to 2 bolus twice a day for 4-5 days

Presentation: 10 x 4 Bolus



FEED SUPPLEMENT

Tomix-HTM

Helps in Improving Udder Health

Composition:

Each ml contains:

Vitamin A	20000 IU
Vitamin D3	10000 IU
Vitamin E	50 IU
Vitamin B12	20 mcg
Biotin	500 mcg
Selenium	10 mcg

Directions for use:

Cattle & Buffalo:

10 ml per day to be mixed in the feed

Calf/Sheep/Goat:

5 ml per day to be mixed in the feed

Presentation:

500 ml & 1 Litre



FEED SUPPLEMENT

DUDHBOOSTER

Nutritional Supplement For Cattle Feeding

Composition:

Each litre contains:


Propylene Glycol	200 ml
Purified Honey	110 ml
Bioactive Chromium	1800 mcg
Niacin	10 g
Olive Oil	20 g
Calcium Phosphate	58 g
Pueraria mirifica Extract	15 g
Ashwagandha Extract	10 ml
Safed Musli Extract	15 ml
Panax Ginseng Liquid Extract	15 ml
Purified Water	q.s.

Usage:

Cattle: 200 ml daily for 5 days
or as directed by the Veterinarian

Presentation:

1Litre



FEED SUPPLEMENT

ESSMIN GOLD[®]

GLYCINE CHELATED
MINERAL & VITAMIN

Glycine Chelated Supplement for high bioavailability

DIRECTION OF USES:

Cattle & Buffalo: 30-50 gm/head

Presentation:

5 kg & 30 kg Powder



FEED SUPPLEMENT

Calrito Gold

Gets The Best Out Of High Yielders During Early Lactation

Composition:

Nutritional Value per 100 ml

Calcium (Bio available)	3600 mg
Phosphorus (Bio available)	1800 mg
Vitamin A	160000 IU
Vitamin D3	16000 IU
Vitamin B12	200 mcg
Copper	50 mg
Zinc	150 mg
Leptadenia reticulata	1000 mg
Asparagus racemosus	1000 mg
Silybum marianum	500 mg
Pureria marifica	250 mg
Carbohydrate	4000 mg
Flavoured base	q.s.

Directions for use:

Cattle & buffalo: 100 ml/head per day

Calf/Sheep/Goat: 20 ml/head per day

Presentation:

1 Litre & 5 Litre

